


## **Match Profile**

STAGE	EXERCISE TYPE	PAPER TARGETS	PEPPER POPPERS	PLATES	NO- SHOOTS	MINIMUM ROUNDS	MAX POINTS	STAGE %
1	Short Course	4		4	1	12	60	5,53%
2	Short Course	5		2	1	12	60	5,53%
3	Medium Course	10			3	20	100	9,22%
4	Short Course	4		2	2	10	50	4,61%
5	Medium Course	10		2	2	22	110	10,14%
6	Short Course	4		4	1	12	60	5,53%
7	Medium Course	10		2	3	22	110	10,14%
8	Long Course	12		4	3	28	140	12,90%
9	Medium Course	10		3	3	23	115	10,60%
10	Short Course	5	1	1	1	12	60	5,53%
11	Short Course	5		2	2	12	60	5,53%
12	Long Course	14		4	3	32	160	14,75%
Total		93	1	30	25	217	1085	100%







**START:** Audible signal.

MAX POINTS: 100 Points.

START POSITION:

Standing facing downrange, toe tips on marks, hands at sides, loaded


(empty chamber for semiautos) and holstered handgun.


**PROCEDURE:** 


On the start signal, shoot all targets from within the shooting area.


**DESIGN NOTES:** 

**BRIEFING NOTES:** Safety Angles: ±90° Azimuth, Backstop height in Elevation.









START: Audible signal. MAX POINTS: 110 Points.


START POSITION: Standing facing downrange, hands on barricade marks, loaded and

holstered handgun.

**PROCEDURE:** On the start signal, shoot all targets from within the shooting area.

**DESIGN NOTES:** Each Popper when hit shall raise relevant static target.

Poppers, upon dropping, will raise one static target each. **BRIEFING NOTES:** 



**START:** Audible signal.

MAX POINTS: 140 Points.

START POSITION:

Standing facing uprange, heels on marks, hands at sides, loaded and


holstered handgun.

PROCEDURE:

On the start signal, shoot all targets from within the shooting area.

**DESIGN NOTES:** 

**BRIEFING NOTES:** Safety Angles: ±90° Azimuth, Backstop height in Elevation.



START POSITION: Standing facing downrange, hands at sides, heels on marks, unloaded

handgun laid flat on the table.


**PROCEDURE:** On the start signal, shoot all targets from within the shooting area.


Swinger hardcover shall be made of steel. **DESIGN NOTES:** 

Swinger shall remain partially visible at the end of the designed movement.

Right IPSC Popper will activate swinger, that will remain partially visible at

**BRIEFING NOTES:** the end of the designed movement.





**START:** Audible signal. **MAX POINTS:** 60 Points.


START POSITION: Standing facing downrange, heels on marks, hands at sides, loaded and

holstered handgun.

**PROCEDURE:** On the start signal, shoot all targets from within the shooting area.

**DESIGN NOTES:** 

**BRIEFING NOTES:** Safety Angles: ±90° Azimuth, Backstop height in Elevation.



START POSITION: Standing facing downrange, heels on marks, hands at sides, loaded (empty

chamber for semiautos) and holstered handgun.

**PROCEDURE:** On the start signal, shoot all targets from within the shooting area.

Swinger hardcover shall be made of steel.

Swinger shall remain partially visible at the end of the designed movement.

Farthest IPSC Popper will activate swinger, that will remain partially visible

**BRIEFING NOTES:** at the end of the designed movement.

**DESIGN NOTES:**