


Match Profile


STAGE	EXERCISE TYPE	PAPER TARGETS	PEPPER POPPERS	PLATES	NO- SHOOTS	MINIMUM ROUNDS	MAX POINTS	STAGE %
1	Short Course	4	4		3	12	60	5,17%
2	Long Course	12	5	3	4	32	160	13,79%
3	Medium Course	10	2	2	2	24	120	10,34%
4	Short Course	5	2		1	12	60	5,17%
5	Medium Course	11	1	1	4	24	120	10,34%
6	Short Course	6			2	12	60	5,17%
7	Medium Course	10	2	2	5	24	120	10,34%
8	Short Course	4	2	2		12	60	5,17%
9	Medium Course	12			7	24	120	10,34%
10	Short Course	4		4	2	12	60	5,17%
11	Long Course	14	4		4	32	160	13,79%
12	Short Course	12			6	12	60	5,17%
Total		104	22	14	40	232	1160	100%






Stage 3. TARGETS: 10 IPSC Targets 2 IPSC Poppers TYPE: Medium Course. 2 Plates 2 No-Shoots. **DISTANCES:** 2-15 m. MINIMUM ROUNDS: 24 Rounds. **START:** Audible signal. **MAX POINTS:** 120 Points. **START POSITION:** Standing facing downrange, heels on marks, loaded and holstered handgun. **PROCEDURE:** On the start signal, shoot all targets from within the shooting area. Swinger hardcover shall be made of steel. **DESIGN NOTES:** Swinger shall remain partially visible at the end of the designed movement. Right side IPSC Popper will activate swinger, that will remain partially visible at the end of the designed movement. **BRIEFING NOTES: Safety Angles:** ±90° Azimuth, Backstop height in Elevation.







START POSITION:

Standing facing downrange, hands at sides, heels on marks, loaded and holstered handgun.

PROCEDURE:


On the start signal, shoot all targets from within the shooting area.


Swingers hardcover shall be made of steel.


Swingers shall remain partially visible at the end of the designed movement.

Stepping on the seesaw will activate swingers, that will remain partially visible at the end of the designed movement.

Safety Angles: ±90°Azimuth, Backstop height in Elevation.







Safety Angles: ±90° Azimuth, Backstop height in Elevation.

BRIEFING NOTES:

