



## **STAGE PROFILE**


STAGE	EXERCISE TYPE	DISTANCE	IPSC TARGETS	IPSC MINI TARGETS	IPSC POPPERS	IPSC MINI POPPERS	PLATES	NO- SHOOTS	ROUNDS	MAX POINTS	STAGE %
1	Short Course	3-15 m	4	0	0	0	4	0	12	60	5,56%
2	Medium Course	5-15 m	8	0	1	0	1	2	18	90	8,33%
3	Short Course	3-15 m	5	0	0	0	2	0	12	60	5,56%
4	Medium Course	2-25 m	11	0	0	0	2	4	24	120	11,11%
5	Medium Course	2-20 m	9	0	2	0	2	2	22	110	10,19%
6	Long Course	3-50 m	15	0	0	0	2	3	32	160	14,81%
7	Short Course	3-15 m	4	0	2	0	2	2	12	60	5,56%
8	Medium Course	3-18 m	0	10	0	0	0	0	20	100	9,26%
9	Short Course	3-8 m	4	0	2	0	2	0	12	60	5,56%
10	Long Course	4-20 m	14	0	0	0	0	4	28	140	12,96%
11	Short Course	3-10 m	5	0	0	0	2	1	12	60	5,56%
12	Short Course	3- 22 m	6	0	0	0	0	0	12	60	5,56%
	Total		85	10	7	0	19	18	216	1080	100%




Type:	Short Course	Targets:					
Rounds to be scored:	12	IPSC Targets	4	IPSC Mini Targets	0		
Max Points:	60	IPSC Poppers	0	IPSC Mini Poppers	0		
Distances:	3-15 m	Plates	4				
Start Signal	Segnale acustico-ultimo colpo	No-Shoots	0				
Start Position:	Standing facing downrange, h handgun.	eels on marks, har	nds at s	sides, loaded and ho	Istered		
Procedure:	On the Start Signal engage all targets STRONG HAND ONLY from within the shooting area.						
Design Notes:							
Briefing Notes:	Safety Angles: ±90° Azimuth, Backstop height in Elevation. Wearing a baseball cap is mandatory when shooting.						




Type:	Medium Course	Targets:					
Rounds to be scored:	18	IPSC Targets	8	IPSC Mini Targets	0		
Max Points:	90	IPSC Poppers	1	IPSC Mini Poppers	0		
Distances:	5-15 m	Plates	1				
Start Signal	Segnale acustico-ultimo colpo	No-Shoots	2				
Start Position:	Standing facing downrange, heels on marks, hands at sides, loaded (empty chamber) and holstered handgun.						
Procedure:	On the Start Signal engage all targets from within the shooting area.						
Design Notes:	Popper shall activate swinger target, that shall remain partially visible at the end of the designed movement.  Swinger hardcover shall be made of steel.						
Briefing Notes:	Popper will activate swinger ta designed movement.	Safety Angles: ±90° Azimuth, Backstop height in Elevation. Popper will activate swinger target, that will remain partially visible at the end of the					




Туре:	Short Course	Targets:						
Rounds to be scored:	12	IPSC Targets	5	IPSC Mini Targets	0			
Max Points:	60	IPSC Poppers	0	IPSC Mini Poppers	0			
Distances:	3-15 m	Plates	2					
Start Signal	Segnale acustico-ultimo colpo	No-Shoots	0					
Start Position:	Standing facing downrange, han	ds on marks, loaded l	nandgu	n laid flat on the table				
Procedure:	On the Start Signal engage all targets WEAK HAND ONLY from within the shooting area.							
Design Notes:								
Briefing Notes:	Safety Angles: ±90° Azimuth, Backstop height in Elevation. Wearing a baseball cap is mandatory when shooting.							





Туре:	Medium Course	Targets:						
Rounds to be scored:	24	IPSC Targets	11	IPSC Mini Targets	0			
Max Points:	120	IPSC Poppers	0	IPSC Mini Poppers	0			
Distances:	2-25 m	Plates	2					
Start Signal	Segnale acustico-ultimo colpo	No-Shoots	4					
Start Position:	Standing facing uprange, toe tip handgun.	Standing facing uprange, toe tips on marks, hands above shoulders, loaded and holstered handgun.						
Procedure:	On the Start Signal engage all targets from within the shooting area.							
Design Notes:								
Briefing Notes:	Safety Angles: ±90° Azimuth, Backstop height in Elevation. Wearing a baseball cap is mandatory when shooting.							




Туре:	Medium Course	Targets:					
Rounds to be scored:	22	IPSC Targets	9	IPSC Mini Targets	0		
Max Points:	110	IPSC Poppers	2	IPSC Mini Poppers	0		
Distances:	2-20 m	Plates	2				
Start Signal	Segnale acustico-ultimo colpo	No-Shoots	2				
Start Position:	Standing facing downrange, heels on marks, hands at sides, loaded and holstered handgun.						
Procedure:	On the Start Signal engage all targets from within the shooting area.						
Design Notes:	Poppers shall activate relevant side swingers, tha shall remain partially visible at the end of designed movement.  Swingers hardcovers shall be made of steel.						
Briefing Notes:	Safety Angles: ±90° Azimuth, Backstop height in Elevation. Poppers will activate relevant side swingers that will remain partially visible at the end of designed movement. Wearing a baseball cap is mandatory when shooting.						








Туре:	Medium Course	Targets:					
Rounds to be scored:	20	IPSC Targets	0	IPSC Mini Targets	10		
Max Points:	100	IPSC Poppers	0	IPSC Mini Poppers	0		
Distances:	3-18 m	Plates	0				
Start Signal	Segnale acustico-ultimo colpo	No-Shoots	0				
Start Position:	Standing anywhere within the shooting area, hands at sides, loaded and holstered handgun.						
Procedure:	On the Start Signal engage all targets from within the shooting area.						
Design Notes:							
Briefing Notes:	Safety Angles: ±90° Azimuth, Backstop height in Elevation. Wearing a baseball cap is mandatory when shooting.						




Each Popper will activate relevant side drop turner target that will be visible from the end

of the downrange corridor for further engagement. Wearing a baseball cap is mandatory when shooting.


**Briefing Notes:** 



Туре:	Long Course	Targets:							
Rounds to be scored:	28	IPSC Targets	14	IPSC Mini Targets	0				
Max Points:	140	IPSC Poppers	0	IPSC Mini Poppers	0				
Distances:	4-20 m	Plates	0						
Start Signal	Segnale acustico-ultimo colpo	No-Shoots	4						
Start Position:	Standing anywhere within the s and holstered handgun.	Standing anywhere within the shooting area facing downrange, hands at sides, loaded and holstered handgun.							
Procedure:	On the Start Signal engage all targets from within the shooting area.								
Design Notes:									
Briefing Notes:	Safety Angles: ±90° Azimuth, Backstop height in Elevation. Wearing a baseball cap is mandatory when shooting.								



Wearing a baseball cap is mandatory when shooting.



Туре:	Short Course	Targets:					
Rounds to be scored:	12	IPSC Targets	6	IPSC Mini Targets	0		
Max Points:	60	IPSC Poppers	0	IPSC Mini Poppers	0		
Distances:	3- 22 m	Plates	0				
Start Signal	Segnale acustico-ultimo colpo	No-Shoots	0				
Start Position:	Standing anywhere within the shooting area, facing downrange, hands at sides, loaded and holstered handgun.						
Procedure:	On the Start Signal engage all targets from within the shooting area.						
Design Notes:	Cooper Tunnel slats to be set at 1,2m height.						
Briefing Notes:	Safety Angles: ±90° Azimuth, Backstop height in Elevation. Wearing a baseball cap is mandatory when shooting.						