



FITDS



DISCIPLINA SPORTIVA
ASSOCIATA RICONOSCIUTA
DAL CONI

present

National PCC FITDS

SATURDAY 17 SEPTEMBER 2022

match level 3

n. 12 stage / minimum rounds 248

Registration Will Open 01/05/22 on Ma.Re Platform

Match Director: Fabrizio PESCE

CALVISANO (BS)

Sito web: www.fitds.it

e-mail: segreteria@fitds.it

iscrizionegare@fitds.it

Contatti: 3925329905

Sito web: www.fitds.it

e-mail: segreteria@fitds.it Iscrizionegare@fitds.it

Iscrizioni: *via telematica sul sito web: www.fitds.it (MA.RE. 2.0 Match Registration);*

Munizionamento: *libero a cura del tiratore*

Ristorazione: *sul campo è presente un confortevole punto di ristoro;*

Regolamento: *FITDS/IPSC rulebook last edition;*

Classifiche: *Come da Reg. Sportivo FITDS;*

Premiazioni: *come da regolamento sportivo 2021*

Orari *Sabato 17 Settembre Inizio gara ore 08.00*

Range Master: *EUGENIO FASULO*

Range Officer: *a cura S.A.F.R.O.;*

*In richiamo al Regolamento Sportivo 2022 è l'assoluto divieto di utilizzare qualsiasi tipo di abbigliamento militare, paramilitare nonché l'utilizzo di abbigliamento e/o accessori che in qualche modo possono ledere l'immagine della F.I.T.D.S.
Tutti i tiratori devono essere in regola con i permessi per il trasporto e l'utilizzo delle proprie armi e munizioni.*

HOTELS convenzionati:

Bed & Breakfast "Orso Pruno" - Via Zappaglia, 4/b - 25012 Calvisano (BS) - 339 5840957

Hotel Villa Francesca - Via Statale Isorella-Calvisano, 45 - 25010 Isorella (BS) - Tel. +39 030 9523043

Hotel Gambarà - Via Campo Fiera, 22 - 25020 Gambarà (BS) - Tel. +39 030 9956260

Hotel Odeon - Via Matteotti, 6 - 25016 Ghedi (BS) - Tel. +39 030 901158

Altri HOTELS:

Hotel Faro - Via Mantova, 60 - 25018 Montichiari (BS) - Tel. +39 030 9981136

Hotel Aurora - Via Trieste, 94 - 25018 Montichiari (BS) - Tel. +39 030 961319

Hotel Elefante - Via Trieste, 41/43 - 25018 Montichiari (BS) - Tel. +39 030 9650252

Hotel Garda - Via Brescia, 128 - 25018 Montichiari (BS) - Tel. +39 030 9651571


Park Hotel - Via Asola, 1 - 46040 Casalmoro (MN) - Tel. +39 0376 737706

Palazzo Novello - Via Tito Speri, 17 - 25018 Montichiari (BS) - Tel. +39 030 9650907

RISTORANTI convenzionati:

Al Capriccio - Via Dottor Vincenzo Campagnoli Golgi, 32, 25012 Calvisano (BS) - Tel. +39 030 968 6373

MAIN SPONSOR



TANFOGLIO

GHOST

ERREDI

BREDA



planetshooters.com

T73



ONLINE STORE
ipsc4you **PALLA 9MM**
professional garments parts accessories

Paganini



ARMERIA
FRACASSI
via vigentina 170/F - 27100 Pavia
tel: +39 0382 22364 e-mail: ordini@fracassiarmeria.it

X-RAY parts.it
shooting accessories and tactical equipment

TARGET
Bullets

LIBRI DI PAVIA


NUOVA ARMERIA
DEL CENTRO
ALESSANDRIA
VIA GAETANO DONIZETTI n° 22 - TEL. 0131.266269

Toni system
COMPONENTS




Armeria
Piccolo
dal 1976

Stage 1:



<p>Type:</p> <p>min nr of rounds 40</p> <p>Max Points:</p> <p>Distances:</p> <p>Start: Audible Signal</p>	<p>Targets:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">IPSC Targets</td> <td style="width: 33%;">16</td> <td style="width: 33%;">IPSC Mini Targets</td> <td></td> </tr> <tr> <td>IPSC Micro Target</td> <td></td> <td>IPSC Mini Poppers</td> <td>6</td> </tr> <tr> <td>IPSC Metal Plates</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>No-Shoots</td> <td>4</td> <td></td> <td></td> </tr> </table>	IPSC Targets	16	IPSC Mini Targets		IPSC Micro Target		IPSC Mini Poppers	6	IPSC Metal Plates	2			No-Shoots	4		
IPSC Targets	16	IPSC Mini Targets															
IPSC Micro Target		IPSC Mini Poppers	6														
IPSC Metal Plates	2																
No-Shoots	4																
Start Position:	Anywhere in the shooting area. Competitor must be standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard"																
The Firearm Ready Condition	Option 1, hip level, muzzle pointing downrange																
Procedure:	AT START SIGNAL ENGAGE ALL TARGETS FROM WITHIN THE DESIGNATED AREA																
Design Notes:																	
Briefing Notes:	Safety angles: : ±90° Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.																

Stage 2



<p>Type:</p> <p>min nr of rounds 24</p> <p>Max Points:</p> <p>Distances:</p> <p>Start: Audible Signal</p>	<p>Targets:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">IPSC Targets</td> <td style="width: 10%; text-align: center;">10</td> <td style="width: 60%;">IPSC Mini Targets</td> </tr> <tr> <td>IPSC Micro Target</td> <td></td> <td>IPSC Mini Poppers 2</td> </tr> <tr> <td>IPSC Metal Plates</td> <td style="text-align: center;">2</td> <td></td> </tr> <tr> <td>No-Shoots</td> <td style="text-align: center;">2</td> <td></td> </tr> </table>	IPSC Targets	10	IPSC Mini Targets	IPSC Micro Target		IPSC Mini Poppers 2	IPSC Metal Plates	2		No-Shoots	2	
IPSC Targets	10	IPSC Mini Targets											
IPSC Micro Target		IPSC Mini Poppers 2											
IPSC Metal Plates	2												
No-Shoots	2												

Start Position: Anywhere in the shooting area. Competitor must be standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard"


The Firearm Ready Condition Option 1, hip level, muzzle pointing downrange

Procedure: AT START SIGNAL ENGAGE ALL TARGETS FROM WITHIN THE DESIGNATED AREA

Design Notes:

Briefing Notes: Safety angles: : ±90° Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.

Stage 3:



Type:		Targets:		
min nr of rounds	12	IPSC Targets	5	IPSC Mini Targets
Max Points:		IPSC Micro Target		IPSC Mini Poppers
Distances:		IPSC Metal Plates	1	1
Start:	Audible Signal	No-Shoots		

Start Position:	HEELS TOUCHING THE MARKS
------------------------	--------------------------


The Firearm Ready Condition	Option 3 on the table . All magazine intended to use on the table
------------------------------------	---

Procedure:	AT START SIGNAL ENGAGE ALL TARGETS; IMP1 ACTIVATE IT3 SWINGERS WHICH REMAIN VIABLE AT REST
-------------------	--

Design Notes:	
----------------------	--

Briefing Notes:	Safety angles: : $\pm 90^\circ$ Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.
------------------------	---

Stage 4



Type:		Targets:	
min nr of rounds	40	IPSC Targets	18
Max Points:		IPSC MicroTarget	
Distances:		IPSC Metal Plates	
Start:	Audible Signal	No-Shoots	4
		IPSC Mini Targets	
		IPSC Mini Poppers	4

Start Position: Anywhere in the shooting area. Competitor must be standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard"


The Firearm Ready Condition Option 1, hip level, muzzle pointing downrange

Procedure: AT START SIGNAL ENGAGE ALL TARGETS

Design Notes:

Briefing Notes: Safety angles: : $\pm 90^\circ$ Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.

Stage 5:



Type:
min nr of rounds
Max Points:
Distances:
Start:

Audible Signal

Targets:

IPSC Targets	9	IPSC Mini Targets	
IPSC Micro Targ		IPSC Mini Poppers	6
IPSC Metal Plates			
No-Shoots	2		

Start Position:

Anywhere in the shooting area. Competitor must be standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard"

The Firearm Ready Condition

Option 1, hip level, muzzle pointing downrange

Procedure:


AT START SIGNAL ENGAGE ALL TARGETS

Design Notes:

Briefing Notes:



Safety angles: : $\pm 90^\circ$ Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.

Stage 6:



<p>Type:</p> <p>min nr of rounds 12</p> <p>Max Points:</p> <p>Distances:</p> <p>Start: Audible Signal</p>	<p>Targets:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">IPSC Targets</td> <td style="width: 10%; text-align: center;">4</td> <td style="width: 50%;">IPSC Mini Targets</td> <td style="width: 10%; text-align: center;">3</td> </tr> <tr> <td>IPSC Miocro</td> <td></td> <td>IPSC Mini Poppers</td> <td></td> </tr> <tr> <td>IPSC Metal Plates</td> <td style="text-align: center;">1</td> <td></td> <td></td> </tr> <tr> <td colspan="4">No-Shoots</td> </tr> </table>	IPSC Targets	4	IPSC Mini Targets	3	IPSC Miocro		IPSC Mini Poppers		IPSC Metal Plates	1			No-Shoots			
IPSC Targets	4	IPSC Mini Targets	3														
IPSC Miocro		IPSC Mini Poppers															
IPSC Metal Plates	1																
No-Shoots																	
Start Position:	Anywhere in the shooting area. Competitor must be standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard"																
The Firearm Ready Condition	Option 1, hip level, muzzle pointing downrange																
Procedure:	AT START SIGNAL ENGAGE ALL TARGETS; IMP1 ACTIVATE IT2 SWINGERS WHICH REMAIN VIIBLE AT REST																
Design Notes:																	
Briefing Notes:	Safety angles: : ±90° Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.																

Stage 7:



Type:
min nr of rounds 12
Max Points:
Distances:
Start: Audible Signal

Targets:

IPSC Targets	4	IPSC Mini Targets
IPSC Micro Target		IPSC Mini Poppers
IPSC Metal Plates	4	
No-Shoots	2	

Start Position: sitting on the chair back touching the chair as demonstrate the weak hand on the knee and the gun holded with the stron hand


The Firearm Ready Condition Option 1, hip level, muzzle pointing downrange

Procedure: AT START SIGNAL ENGAGE ALL TARGETS

Design Notes:

Briefing Notes: Safety angles: : $\pm 90^\circ$ Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.

Stage 8:



Type:		Targets:		
min nr of rounds	24	IPSC Targets	12	IPSC Mini Targets
Max Points:		IPSC Micro Target		IPSC Mini Poppers
Distances:	30 metri	IPSC Metal Plates		
Start:	Audible Signal	No-Shoots	2	

Start Position: Anywhere in the shooting area. Competitor must be standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard"


The Firearm Ready Condition Option 1, hip level, muzzle pointing downrange

Procedure: AT START SIGNAL ENGAGE ALL TARGETS

Design Notes:

Briefing Notes: Safety angles: : $\pm 90^\circ$ Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.

Stage 9



<p>Type:</p> <p>min nr of rounds 24</p> <p>Max Points:</p> <p>Distances:</p> <p>Start: Audible Signal</p>	<p>Targets:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">IPSC Targets</td> <td style="width: 10%; text-align: center;">8</td> <td style="width: 40%;">IPSC Mini Targets</td> </tr> <tr> <td>IPSC Micro Target</td> <td></td> <td>IPSC Mini Poppers</td> </tr> <tr> <td>Plates</td> <td style="text-align: center;">3</td> <td style="text-align: right;">5</td> </tr> <tr> <td>No-Shoots</td> <td style="text-align: center;">0</td> <td></td> </tr> </table>	IPSC Targets	8	IPSC Mini Targets	IPSC Micro Target		IPSC Mini Poppers	Plates	3	5	No-Shoots	0	
IPSC Targets	8	IPSC Mini Targets											
IPSC Micro Target		IPSC Mini Poppers											
Plates	3	5											
No-Shoots	0												

Start Position: HEELS TOUCHING THE MARKS Competitor must be standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard"


The Firearm Ready Condition Option 1 at hip level.

Procedure: AT START SIGNAL ENGAGE ALL TARGETS FROM WITHIN THE DESIGNATED AREA; IPL2 ACTIVATED IT4 e IT 5 SWINGERS WHICH REMAIN VIABLE AT REST

Design Notes:

Briefing Notes: Safety angles : ±90° Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.

Stage 11



Type:	#RIF!	Targets:			
min nr of rounds	12	IPSC Targets	3	IPSC Mini Targets	0
Max Points:	60	IPSC Poppers	0	IPSC Mini Poppers	4
Distances:	30	IPSC Metal Plates			
Start:	Audible Signal	No-Shoots			

Start Position: HEELS TOUCHING THE MARKS Competitor must be standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard"


The Firearm Ready Condition Option 2, hip level, muzzle pointing downrange

Procedure: AT START SIGNAL ENGAGE ALL TARGETS; IMP1 e IMP3 ACTIVATE IT1 e IT3 SWINGERS WHICH REMAIN VIABLE AT REST: pulling the rope IT2 will become visible and remain visible at rest

Design Notes:

Briefing Notes: Safety angles: : $\pm 90^\circ$ Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.

Stage 12



<p>Type:</p> <p>min nr of rounds 24</p> <p>Max Points:</p> <p>Distances:</p> <p>Start: Audible Signal</p>	<p>Targets:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%;">IPSC Targets</td> <td style="width: 20%; text-align: center;">10</td> <td style="width: 20%;">IPSC Mini Targets</td> </tr> <tr> <td>IPSC Poppers</td> <td></td> <td>IPSC Mini Poppers</td> </tr> <tr> <td>IPSC Metal Plates</td> <td></td> <td style="text-align: right;">4</td> </tr> <tr> <td>No-Shoots</td> <td></td> <td></td> </tr> </table>	IPSC Targets	10	IPSC Mini Targets	IPSC Poppers		IPSC Mini Poppers	IPSC Metal Plates		4	No-Shoots		
IPSC Targets	10	IPSC Mini Targets											
IPSC Poppers		IPSC Mini Poppers											
IPSC Metal Plates		4											
No-Shoots													
Start Position:	Anywhere in the shooting area. Competitor must be standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard"												
The Firearm Ready Condition	Option 1, hip level, muzzle pointing downrange.												
Procedure:	AT START SIGNAL ENGAGE ALL TARGETS; IMP4 ACTIVATE IT3 SWINGERS WHICH REMAIN VIIBLE AT REST												
Design Notes:													
Briefing Notes:	Safety angles: : ±90° Azimuth, front backstop vertically. Scoring will be taken by shooting. You can have a delegate to check the points.												