



DISCIPLINA SPORTIVA
ASSOCIATA RICONOSCIUTA
DAL CONI

NATIONAL FEDERALE 2024

May 30-31 June 01-02

Magione (PG)

IPSC LEVEL III - PCC

12 STAGES – 232 Rounds – 1160 POINTS

MATCH DIRECTOR Stefano Iacomini





INFO MATCH

Match Director: **Stefano Iacomini**

Mobile: **+39 335 6674333**

E-mail: **Stefano.Iacomini@fitdts.it**

Registrations: **Online Match Registration at:
<https://mare2.fitds.it/front/match/details/1353>**

Rules: **FITDS-IPSC Rulebook Last Edition**

Rankings: **PCC**

Awards: **As defined by Regolamento Sportivo FITDS 2024**

Ammunition: **Free all types of ammunition by the shooter**

Food and Drinks: **At the range there are a restaurant and a refreshment stand**

Turns: **Thursday-Friday – Saturday - Sunday**

Timing: **Briefing: Thursday-Friday – Saturday 08:00 AM; start 08:30 AM
Sunday 07:30 AM; start 08:00 AM**

Range Master: **Sergio Fontanelli**

Range Officer: **By S.A.F.R.O.**

All shooters must be in good standing with permits to carry and use their weapons and ammunition. The organization disclaims any responsibility for non-compliance with the regulations of the Law in force. Compliance with the Regulations in force regarding clothing and accessory requirements is reminded.



HOTELS

HOTELS

CASA VACANZE "LA MOROSA" via IV Novembre loc.Castel Rigone Passignano ST - 075845330

AGRITURISMO "CASALE IL PICCHIO" Case sparse,58 Magione-075/841595

AGRIT. "LA CASA DI CAMPAGNA"loc.casenuove,57 Magione - 335/7536326

AGRIT:"VILLA RANCIO" loc.Caliccione Passignano s.T. - 075/845270

HOTEL CANTALODOLE st.G.Leopardi,3 Magione 075/8472746

HOTEL "LE ROCCIE Via Boschi Del Quarto 24, 06063 Magione PG-075 840 9326

VILLAGGIO ALBERGO "IL GABBIANO" Via Perugina, 67, Passignano ST 075 827788



SPONSOR






MATCH PROFILE

| STAGE | EXERCISE TYPE | IPSC TARGETS | IPSC MINI TARGETS | IPSC POPPERS | IPSC MINI POPPERS | PLATES | NO-SHOOTS | ROUNDS | MAX POINTS | STAGE % |
|--------|---------------|--------------|-------------------|--------------|-------------------|--------|-----------|--------|------------|---------|
| 1 | SHORT COURSE | 6 | | | | | 2 | 12 | 60 | 5,08% |
| 2 | LONG COURSE | 14 | | | 4 | | 2 | 32 | 160 | 13,56% |
| 3 | SHORT COURSE | 5 | | | 2 | | | 12 | 60 | 5,08% |
| 4 | MEDIUM COURSE | 11 | | | 2 | | | 24 | 120 | 10,17% |
| 5 | SHORT COURSE | 4 | | | 2 | 2 | | 12 | 60 | 5,08% |
| 6 | Medium COURSE | 11 | | | 2 | | 2 | 24 | 120 | 10,17% |
| 7 | LONG COURSE | 16 | | | | | 2 | 32 | 160 | 13,56% |
| 8 | SHORT COURSE | 4 | | | 2 | 2 | | 12 | 60 | 5,08% |
| 9 | MEDIUM COURSE | 10 | | | 4 | | 2 | 24 | 120 | 10,17% |
| 10 | MEDIUM COURSE | 12 | | | | | | 24 | 120 | 10,17% |
| 11 | SHORT COURSE | 9 | | | 3 | | | 12 | 60 | 5,08% |
| 12 | SHORT COURSE | 4 | | | | 4 | | 12 | 60 | 5,08% |
| TOTALI | | 106 | | | 21 | 8 | 10 | 232 | 1160 | |



STAGE 1

Stage 1:



| | | | | |
|---------------------------|----------------|-------------------|---|-------------------|
| Type: | Short Course | Targets: | | |
| Minimum number of rounds: | 12 | IPSC Targets | 6 | IPSC Mini Targets |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers |
| Time Start: | Audible Signal | IPSC Metal Plates | | |
| | | No-Shoots | 2 | |

Start Position:

Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition:

LOADED - OPTION 1

Procedure:

Upon start signal engage the targets

Design Notes:

Briefing Notes:


The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.



STAGE 2



Stage 2:



| | | | | |
|---------------------------|----------------|-------------------|----|---------------------|
| Type: | Long Course | Targets: | | |
| Minimum number of rounds: | 32 | IPSC Targets | 14 | IPSC Mini Targets |
| Maximum Points: | 160 | IPSC Poppers | | IPSC Mini Poppers 4 |
| Time Start: | Audible Signal | IPSC Metal Plates | | |
| | | No-Shoots | 2 | |

Start Position:

Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition:

LOADED - OPTION 1

Procedure:

Upon start signal engage the targets


Design Notes:

Briefing Notes:

The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.



STAGE 3



| | | | | |
|---------------------------|----------------|-------------------|---|-------------------|
| Type: | Short Course | Targets: | | |
| Minimum number of rounds: | 12 | IPSC Targets | 5 | IPSC Mini Targets |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers |
| Time Start: | Audible Signal | IPSC Metal Plates | | 2 |
| | | No-Shoots | | |

Start Position:

Sitting in the chair as shown, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition:

UNLOADED - OPTION 3

Procedure:

Upon start signal engage the targets as shown.


Design Notes:

Briefing Notes:

The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.



STAGE 4



| | | | | |
|---------------------------|----------------|-------------------|----|-------------------|
| Type: | Medium Course | Targets: | | |
| Minimum number of rounds: | 24 | IPSC Targets | 11 | IPSC Mini Targets |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers |
| Time Start: | Audible Signal | IPSC Metal Plates | | 2 |
| | | No-Shoots | | |

Start Position: Heels touching the marks as shown. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition: LOADED - OPTION 1

Procedure: Upon start signal engage the targets





Design Notes: The window opens by pulling the handle as shown.

Briefing Notes: The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.



STAGE 5

Stage 5:



| | | | | | |
|---------------------------|----------------|-------------------|---|-------------------|---|
| Type: | Short Course | Targets: | | | |
| Minimum number of rounds: | 12 | IPSC Targets | 4 | IPSC Mini Targets | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 2 |
| Time Start: | Audible Signal | IPSC Metal Plates | 2 | | |
| | | No-Shoots | | | |

Start Position:

Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition:

LOADED - OPTION 1

Procedure:

Upon start signal engage the targets

Design Notes:


IMP1 activates IPL1 and IPL2 swingers which will remain visible at the end of the movement

Briefing Notes:

The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.



STAGE 6



| | | | | |
|---------------------------|-----------------------|--|-------------------|-----------|
| Type: | Medium Course | | Targets: | |
| Minimum number of rounds: | 24 | | IPSC Targets | 11 |
| Maximum Points: | 120 | | IPSC Poppers | |
| | | | IPSC Mini Targets | |
| | | | IPSC Mini Poppers | 2 |
| Time Start: | Audible Signal | | IPSC Metal Plates | |
| | | | No-Shoots | 2 |

Start Position: **Standing anywhere erect**

Firearm Ready Condition: **Unloaded – Option 3 , firearm lying on one of the tables and all magazines on the other table.**


Procedure: **Upon start signal engage the targets**

Design Notes: **IMP1 activates IT2 swinger and IMP2 activates IT10 swinger which will remain visible at the end of the Movement**

Briefing Notes: **The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.**



STAGE 7



| | | | | |
|---------------------------|----------------|-------------------|----|-------------------|
| Type: | Long Course | Targets: | | |
| Minimum number of rounds: | 32 | IPSC Targets | 16 | IPSC Mini Targets |
| Maximum Points: | 160 | IPSC Poppers | | IPSC Mini Poppers |
| Time Start: | Audible Signal | IPSC Metal Plates | | |
| | | No-Shoots | 2 | |

Start Position:

Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition:

LOADED - OPTION 1

Procedure:

Upon start signal engage the targets


Design Notes:

Briefing Notes:

The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.




STAGE 8



| | | | | |
|---------------------------|--|-------------------|---|-------------------|
| Type: | Short Course | Targets: | | |
| Minimum number of rounds: | 12 | IPSC Targets | 4 | IPSC Mini Targets |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers |
| Time Start: | Audible Signal | IPSC Metal Plates | 2 | 2 |
| | | No-Shoots | | |
| Start Position: | Heels touching the marks as shown. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | |
| Firearm Ready Condition: | LOADED - OPTION 1 | | | |
| Procedure: | Upon start signal engage the targets | | | |
| Design Notes: | IMP1 activates IT2 swinger and IMP2 activates IT3 swinger which will remain visible at the end of the movement | | | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | |



STAGE 9



| | | | | |
|---------------------------|----------------|-------------------|----|-------------------|
| Type: | Medium Course | Targets: | | |
| Minimum number of rounds: | 24 | IPSC Targets | 10 | IPSC Mini Targets |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers |
| Time Start: | Audible Signal | IPSC Metal Plates | | 4 |
| | | No-Shoots | 2 | |

Start Position:

Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition:

LOADED - OPTION 1

Procedure:

Upon start signal engage the targets

Design Notes:

IMP2 activates IT5 Swinger which will remain visible at the end of the movement


Briefing Notes:

The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.



STAGE 10

Stage 10:



| | | | | |
|---------------------------|----------------|-------------------|----|-------------------|
| Type: | Medium Course | Targets: | | |
| Minimum number of rounds: | 24 | IPSC Targets | 12 | IPSC Mini Targets |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers |
| Time Start: | Audible Signal | IPSC Metal Plates | | |
| | | No-Shoots | | |

Start Position:

Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition:

LOADED - OPTION 1

Procedure:

Upon start signal engage the targets

Design Notes:

Any rod that is dropped from the cooper tunnel will result in a procedura as per rule 10.2.5


Briefing Notes:

The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.



STAGE 11

Stage 11:



| | | | | |
|---------------------------|----------------|-------------------|---|-------------------|
| Type: | Short Course | Targets: | | |
| Minimum number of rounds: | 12 | IPSC Targets | 9 | IPSC Mini Targets |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers |
| Time Start: | Audible Signal | IPSC Metal Plates | 0 | 3 |
| | | No-Shoots | | |

Start Position: Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition: LOADED - OPTION 1

Procedure: Upon start signal engage the targets with at least 1 shot


Design Notes:

Briefing Notes:

The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting.



STAGE 12



| | | | | |
|---------------------------|----------------|-------------------|---|-------------------|
| Type: | Short Course | Targets: | | |
| Minimum number of rounds: | 12 | IPSC Targets | 4 | IPSC Mini Targets |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers |
| Time Start: | Audible Signal | IPSC Metal Plates | 4 | |
| | | No-Shoots | | |

Start Position: Toes touching the marks in A or B as shown. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard

Firearm Ready Condition: LOADED - OPTION 1

Procedure: Upon start signal engage the targets

Design Notes: A reloading must be completed after the competitor shoot at his first target, and before he shot at his final target as per rule 1.1.5.2

Briefing Notes: The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting