



FITDS



DISCIPLINA SPORTIVA
ASSOCIATA RICONOSCIUTA
DAL CONI

presenta

National PCC FITDS

SATURDAY 6 JULY 2024

match level 3

n. 12 Esercizi / tot colpi minimi 247

Registration Will Open 23/02/24 on Ma.Re Platform

Match Director: Fabrizio PESCE

TERNI (TR)

Sito web: www.fitds.it

e-mail: segreteria@fitds.it

Iscrizionegare@fitds.it

Contatti: 3925329905

Sito web: www.fitds.it

e-mail: segreteria@fitds.it Iscrizionegare@fitds.it

Iscrizioni: *via telematica sul sito web: www.fitds.it (MA.RE. 2.0 Match Registration);*

Munizionamento: *libero a cura del tiratore*

Ristorazione: *sul campo è presente un confortevole punto di ristoro;*

Regolamento: *FITDS/IPSC rulebook last edition;*

Classifiche: *Come da Reg. Sportivo FITDS;*

Premiazioni: *come da regolamento sportivo 2024*

Orari *Sabato 6 Luglio Inizio gara ore 08.00*

Range Master:

Range Officer: *a cura S.A.F.R.O.;*
l'utilizzo di abbigliamento e/o accessori che in qualche modo possono ledere l'immagine della F.I.T.D.S.

HOTELS:

Hotel MICHELANGELO PALACE - Viale della Stazione 63 - Terni - +39 0744202711

Hotel MILLENNIUM - Piazza Dante Alighieri 2/C - Terni -

Hotel DEL LAGO - Via del Porto 71 - Piediluco(TR) - +39 0744368450

L'ANTICO CASALE - Strada di Moggio 10 Marmore (TR) - +39 3351402593

ALBERGO VELINO - Vocabolo Pilastrini 1 - Marmore (TR) - +39 074467425

BAD & BREAKFAST "LE MARMORE" - Via Ciro Menotti 24 - Marmore (TR) - +39 3276908599

RISTORANTI

Ristorante - Trattoria Da Ersilia - Cascate delle Marmore - Belvedere Superiore Via Conti Menotti 30 (TR)

Trattoria Del Buongusto - Via Pietro Montesi 195 - Marmore (TR)

Trattoria "I Ribelli Di Campagna" Vocabolo Tiro a Segno 28 (TR)n2

Bosco Del Velino - Cascate Marmore 5 (TR)



SPONSOR

 FIOCCHI

 Benelli

Bignami
dal 1939



 BREDA

 GHOST

 TANFOGLIO

 3GUN
ARMERIA

 ERREDI

 BERETTA

Arsenal  Firearms



 ARMERIA
Fracassi
via Vigonina 17319 - 27100 Pavia
tel: +39 0382 22384 e-mail: info@fracassiarmeria.it

 DECIMA
DIVISIONE BALISTICA

 X-RAY parts.it
shooting accessories and tactical equipment

 Toni system
COMPONENTS


Paganini

 Armeria
Piccolo
dal 1976

Match Profile

STAGE	EXERCISE TYPE	DISTANCE	IPSC TARGETS	IPSC MINI TARGET	IPSC MICRO TARGET	IPSC MINI POPPERS	PLATES	NO-SHOOTS	ROUNDS	MAX POINTS	STAGE %
1	Short Course		0	4	0	4	0	0	12	60	4,86%
2	Short Course		2	0	0	4	4	0	12	60	4,86%
3	Medium Course		8	0	3	2	0	4	24	120	9,72%
4	Medium Course		11	0	0	2	0	1	24	120	9,72%
5	Short Course		4	0	0	3	0	0	11	55	4,45%
6	Medium Course		8	0	2	4	0	1	24	120	9,72%
7	Short Course		4	0	0	4	0	2	12	60	4,86%
8	Long Course		19	0	0	0	2	1	40	200	16,19%
9	Short Course		2	0	2	0	4	0	12	60	4,86%
10	Short Course		4	0	0	2	2	2	12	60	4,86%
11	Medium Course		6	0	2	4	4	0	24	120	9,72%
12	Long Course		18	0	0	4	0	5	40	200	16,19%
Total			86	4	9	33	16	16	247	1235	100%

Stage 1:



Type:	Short Course	Targets:	
min nr of rounds	12	IPSC Targets	0
Max Points:	60	IPSC Mini Targets	4
Distances:	25 metri	IPSC Micro Target	0
Start:	Audible Signal	IPSC Metal Plates	0
		No-Shoots	0

Start Position: Toes on the marks as demonstrated standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard AS DEMONSTRATED


The Firearm READY C Loaded Option 1

Procedure: Upon start signal engage the targets

Design Notes:



Briefing Notes: The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.

Stage 2



Type:	short course	Targets:		
min nr of rounds	12	IPSC Targets	2	IPSC Mini Targets 0
Max Points:	60	IPSC Micro Target	0	IPSC Mini Poppers 4
Distances:	25 metri	IPSC Metal Plates	4	
Start:	Audible Signal	No-Shoots	0	
Start Position:	Standing anywhere standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard AS DEMONSTRATED			
The Firearm READY CC LOADED OPTION 1				
Procedure:	Upon start signal engage the targets			
Design Notes:				
Briefing Notes:	The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.			

Stage 3:



Type: medium cours
min nr of rounds 24
Max Points: 120
Distances: 20 metri
Start: Audible Signal

Targets:			
IPSC Targets	8	IPSC Mini Targets	0
IPSC Micro Target	3	IPSC Mini Poppers	2
IPSC Metal Plates	0		
No-Shoots	4		

Start Position: Heels on the marks in A e B as shown Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, triggerguard downwards, muzzle pointing downrange with the fingers outside the trigger guard AS DEMONSTRATED


The Firearm READY C LOADED OPTION 1

Procedure: Upon start signal engage the targets

Design Notes: only for stage construcion the red IPSC Target are micro target


Briefing Notes: The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting..

Stage 4;



Type:	medium course	Targets:	
min nr of rounds	24	IPSC Targets	11
Max Points:	120	IPSC Poppers	0
Distances:	35 metri	IPSC Metal Plates	0
Start:	Audible Signal	No-Shoots	1
Start Position:	One foot on the marks as demonstrated, standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard AS DEMONSTRATED		
The Firearm READY C (LOADED OPTION 1)			
Procedure:	Upon start signal engage the targets		
Design Notes:			
Briefing Notes:	The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.		

Stage 5



Type:	Short Course	Targets:			
min nr of rounds	11	IPSC Targets	4	IPSC Mini Targets	0
Max Points:	55	IPSC MicroTarget	0	IPSC Mini Poppers	3
Distances:	18 metri	IPSC Metal Plates	0		
Start:	Audible Signal	No-Shoots	0		

Start Position: Heels on the marks as shown Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard AS DEMONSTRATED



The Firearm READY C LOADED OPTION 1

Procedure: Upon start signal engage the targets

Design Notes: IMP2 activates IT1 e IT4 which will remain visible at the end of the movement

Briefing Notes: The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.

Stage 7



Type: Short Course
min nr of rounds 12
Max Points: 60
Distances: 25 metri
Start: Audible Signal

Targets:

IPSC Targets	4	IPSC Mini Targets	0
IPSC Micro Target	0	IPSC Mini Poppers	4
IPSC Metal Plates	0		
No-Shoots	2		

Start Position: Toes on the marks as demonstrated standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard AS DEMONSTRATED


The Firearm READY C LOADED OPTION 1

Procedure: Upon start signal engage the targets. IMP 2 activates IT3 and IMP 3 activates IT 4 which will remain visible at the end of the movemen

Design Notes:



Briefing Notes: The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.

Stage 8:



Type: min nr of rounds Max Points: Distances: Start:	long course 40 200 25 metri Audible Signal	Targets: IPSC Targets 19 IPSC Mini Targets 0 IPSC Micro Targ 0 IPSC Mini Poppers 0 IPSC Metal Plates 2 No-Shoots 1
Start Position:	Standing anywhere Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard AS DEMONSTRATED	
The Firearm READY CONDITION LOADED OPTION 1		
Procedure:	Upon start signal engage the targets	
Design Notes:		
Briefing Notes:	The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.	

Stage 9:



Type:	Short Course	Targets:		
min nr of rounds	12	IPSC Targets	2	IPSC Mini Targets 0
Max Points:	60	IPSC Micro Target	2	IPSC Mini Poppers 0
Distances:	25 metri	IPSC Metal Plates	4	
Start:	Audible Signal	No-Shoots	0	

Start Position: Standing anywhere standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard AS DEMONSTRATED



The Firearm READY C LOADED OPTION 1

Procedure: Upon start signal engage the targets

Design Notes: only for stage construcion the red IPSC Target are micro target

Briefing Notes: The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.

Stage 10



Type: Short Cours
min nr of rounds 12
Max Points: 60
Distances: 28 metri
Start: Audible Signal

Targets:

IPSC Targets	4	IPSC Mini Targets	0
IPSC Poppers	0	IPSC Mini Poppers	2
IPSC Metal Plates	2	IPSC Micro Carte	0
No-Shoots	2		

Start Position: SITTING, HANDS ON KNEES, AS DEMONSTRATED


The Firearm READY CUNLOADED OPTION 3, Gun in racks A or B

Procedure: Upon start signal engage the targets

Design Notes:

Briefing Notes: The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.

Stage 11:



Type:	Medium course	Targets:			
min nr of rounds	24	IPSC Targets	6	IPSC Mini Targets	0
Max Points:	120	IPSC Micro	2	IPSC Mini Poppers	4
Distances:	30 metri	IPSC Metal Plates	4		
Start:	Audible Signal	No-Shoots	0		

Start Position: Toes on the marks as demonstrated Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard


The Firearm READY C LOADED OPTION 2

Procedure: AT START SIGNAL ENGAGE ALL TARGETS.

Design Notes: only for stage construction the red IPSC Target are micro target

Briefing Notes: The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.

Stage 12:



Type:	LONG COURSE	Targets:	
min nr of rounds	40	IPSC Targets	18
Max Points:	200	IPSC Poppers	0
Distances:	60 metri	IPSC Metal Plates	0
Start:	Audible Signal	No-Shoots	5
IPSC Mini Targets			4
IPSC Mini Poppers			4
Start Position:	Standing anywhere standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard AS DEMONSTRATED		
The Firearm READY C	LOADED OPTION 1		
Procedure:	Upon start signal engage the targets		
Design Notes:			
Briefing Notes:	The safety angles are 90 lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise, the shooter may delegate other shooter to verify the score counting.		